


2014.10.7 六甲アイランドサンプリング CTDデータ-素データ-

深度 (m)	水温 (°C)	塩分 (PSU)	電導度	EC25	Density	SigmaT	蛍光量 (ppb)	濁度 (FTU)
0.0	23.228	24.042	36.576	37920	1015.585	15.585	2.41	6.91
0.1	23.228	24.037	36.571	37914	1015.582	15.581	2.41	7.82
0.2	23.234	24.073	36.623	37965	1015.608	15.607	2.35	7.29
0.3	23.236	24.154	36.737	38081	1015.669	15.667	2.28	4.51
0.4	23.237	24.231	36.843	38190	1015.727	15.725	2.17	4.57
0.5	23.250	24.426	37.121	38467	1015.871	15.869	1.98	3.67
0.6	23.264	24.747	37.571	38922	1016.110	16.107	1.79	3.32
0.7	23.298	25.474	38.592	39951	1016.650	16.647	1.51	2.19
0.8	23.322	26.144	39.522	40893	1017.148	17.145	1.28	2.03
0.9	23.332	26.360	39.824	41198	1017.309	17.305	1.18	1.83
1.0	23.336	26.750	40.357	41745	1017.603	17.598	1.14	2.02
1.1	23.334	27.103	40.833	42241	1017.870	17.865	1.08	1.69
1.2	23.336	27.451	41.307	42729	1018.132	18.127	1.02	1.86
1.3	23.343	27.606	41.524	42947	1018.248	18.243	1.00	1.73
1.4	23.346	27.689	41.639	43063	1018.310	18.304	0.98	1.59
1.5	23.349	27.771	41.752	43177	1018.372	18.366	0.98	3.66
1.6	23.359	27.880	41.907	43329	1018.452	18.445	0.93	1.52
1.7	23.367	28.002	42.080	43499	1018.542	18.535	0.89	1.50
1.8	23.377	28.111	42.234	43650	1018.622	18.614	0.88	1.57
1.9	23.391	28.241	42.422	43831	1018.717	18.709	0.86	1.72
2.0	23.403	28.393	42.638	44043	1018.829	18.820	0.84	1.57
2.1	23.409	28.535	42.835	44241	1018.935	18.926	0.84	1.57
2.2	23.415	28.636	42.975	44380	1019.009	18.999	0.82	1.52
2.3	23.422	28.740	43.122	44526	1019.087	19.077	0.83	1.72
2.4	23.436	28.938	43.402	44801	1019.233	19.222	0.85	1.85
2.5	23.456	29.121	43.665	45054	1019.365	19.354	0.83	1.65
2.6	23.475	29.299	43.921	45301	1019.495	19.484	0.83	1.75
2.7	23.490	29.460	44.150	45524	1019.613	19.601	0.82	1.75
2.8	23.507	29.638	44.405	45771	1019.744	19.731	0.83	1.94
2.9	23.520	29.768	44.592	45952	1019.838	19.825	0.85	2.25
3.0	23.536	29.895	44.777	46127	1019.930	19.917	0.87	2.31
3.1	23.557	30.033	44.981	46318	1020.029	20.016	0.87	2.20
3.2	23.572	30.138	45.136	46462	1020.104	20.090	0.84	2.06
3.3	23.586	30.205	45.238	46555	1020.152	20.137	0.79	2.10
3.4	23.600	30.285	45.358	46665	1020.208	20.193	0.77	2.04
3.5	23.621	30.429	45.570	46863	1020.312	20.297	0.74	1.80
3.6	23.630	30.514	45.693	46980	1020.374	20.358	0.72	1.79
3.7	23.636	30.554	45.751	47034	1020.402	20.386	0.72	1.79
3.8	23.648	30.631	45.866	47140	1020.458	20.441	0.71	1.96
3.9	23.665	30.746	46.036	47299	1020.540	20.523	0.70	2.01
4.0	23.676	30.819	46.144	47398	1020.592	20.575	0.69	2.09
4.1	23.687	30.884	46.241	47488	1020.638	20.620	0.70	2.40
4.2	23.697	30.952	46.341	47581	1020.688	20.670	0.72	2.34
4.3	23.701	30.994	46.401	47639	1020.719	20.700	0.72	2.45
4.4	23.705	31.010	46.427	47662	1020.730	20.711	0.73	2.60
4.5	23.709	31.029	46.455	47687	1020.744	20.724	0.74	2.73
4.6	23.715	31.064	46.508	47735	1020.769	20.749	0.74	2.65
4.7	23.716	31.077	46.528	47753	1020.779	20.759	0.76	2.74
4.8	23.719	31.087	46.544	47767	1020.786	20.765	0.79	2.62
4.9	23.721	31.094	46.554	47776	1020.791	20.770	0.80	2.83
5.0	23.724	31.113	46.583	47802	1020.805	20.783	0.79	2.78
5.1	23.726	31.125	46.601	47819	1020.814	20.792	0.78	2.98
5.2	23.728	31.132	46.613	47830	1020.820	20.797	0.77	2.70
5.3	23.731	31.148	46.636	47851	1020.831	20.808	0.76	2.70
5.4	23.733	31.161	46.654	47867	1020.840	20.817	0.76	2.80
5.5	23.734	31.170	46.669	47882	1020.848	20.824	0.75	2.86
5.6	23.735	31.180	46.683	47894	1020.855	20.831	0.76	2.97
5.7	23.738	31.191	46.701	47910	1020.863	20.838	0.76	3.05
5.8	23.740	31.200	46.714	47921	1020.870	20.844	0.75	3.27
5.9	23.745	31.220	46.745	47949	1020.884	20.858	0.75	3.62
6.0	23.756	31.246	46.791	47985	1020.901	20.875	2.42	164.26
6.1	23.756	31.210	46.743	47936	1020.874	20.847	3.63	166.04
6.2	23.740	31.146	46.641	47848	1020.831	20.804	8.11	153.81
6.3	23.740	31.194	46.707	47914	1020.868	20.840	6.67	107.51

# 2014.10.7 六甲アイランドサンプリング CTDデータ -グラフ-

平均	水温 (°C)	塩分 (‰)	蛍光量 (ppb)	濁度 (FTU)
0.1m - 0.5m	23.24	24.16	2.27	5.79
5.1m - 5.5m	23.73	31.15	0.76	2.81



深度 (m)

◆ 水温 (°C)   ● 塩分 (PSU)   ▲ 蛍光量 (ppb)   × 濁度 (FTU)