

2014.10.14 六甲アイランドサンプリング CTDデータ-素データ-

深度 (m)	水温 (°C)	塩分 (PSU)	電導度	EC25	Density	SigmaT	蛍光量 (ppb)	濁度 (FTU)
0.0	22.531	30.437	44.581	46898	1020.610	20.610	2.20	1.57
0.1	22.531	30.443	44.590	46906	1020.615	20.615	2.22	1.76
0.2	22.531	30.448	44.596	46912	1020.619	20.618	2.07	1.77
0.3	22.532	30.451	44.600	46917	1020.621	20.620	1.96	1.65
0.4	22.531	30.452	44.602	46918	1020.623	20.621	1.89	1.55
0.5	22.531	30.453	44.603	46920	1020.625	20.622	1.76	2.23
0.6	22.532	30.453	44.603	46920	1020.625	20.622	1.82	1.66
0.7	22.531	30.455	44.605	46922	1020.626	20.623	1.84	1.84
0.8	22.530	30.455	44.604	46923	1020.627	20.624	1.87	1.68
0.9	22.531	30.454	44.605	46922	1020.627	20.623	1.92	1.65
1.0	22.533	30.453	44.605	46920	1020.626	20.622	1.85	5.61
1.1	22.534	30.455	44.607	46922	1020.627	20.622	1.75	2.23
1.2	22.532	30.454	44.606	46922	1020.628	20.623	1.66	1.53
1.3	22.531	30.455	44.607	46923	1020.629	20.623	1.55	1.53
1.4	22.532	30.455	44.607	46924	1020.630	20.624	1.43	1.37
1.5	22.531	30.456	44.607	46924	1020.630	20.624	1.40	1.31
1.6	22.530	30.455	44.606	46924	1020.631	20.624	1.44	1.49
1.7	22.529	30.456	44.605	46925	1020.632	20.624	1.39	1.15
1.8	22.529	30.456	44.605	46924	1020.632	20.624	1.20	1.26
1.9	22.529	30.456	44.605	46925	1020.633	20.625	1.10	1.56
2.0	22.528	30.455	44.603	46924	1020.633	20.625	1.21	1.57
2.1	22.526	30.456	44.603	46925	1020.636	20.626	1.32	1.56
2.2	22.524	30.456	44.602	46925	1020.636	20.626	1.29	1.60
2.3	22.524	30.457	44.601	46926	1020.637	20.627	1.35	1.52
2.4	22.523	30.457	44.601	46927	1020.638	20.628	1.36	1.58
2.5	22.523	30.457	44.602	46927	1020.639	20.628	1.41	1.78
2.6	22.523	30.457	44.602	46927	1020.639	20.628	1.41	1.63
2.7	22.522	30.458	44.602	46927	1020.640	20.628	1.39	1.88
2.8	22.523	30.457	44.602	46927	1020.640	20.628	1.41	1.65
2.9	22.524	30.458	44.603	46927	1020.640	20.628	1.43	1.69
3.0	22.523	30.458	44.603	46928	1020.641	20.628	1.49	1.73
3.1	22.524	30.458	44.604	46928	1020.642	20.628	1.52	1.85
3.2	22.524	30.458	44.604	46928	1020.642	20.628	1.60	2.05
3.3	22.523	30.461	44.608	46932	1020.645	20.630	1.79	2.09
3.4	22.523	30.461	44.607	46932	1020.645	20.630	1.89	2.18
3.5	22.522	30.461	44.606	46932	1020.646	20.630	2.02	2.22
3.6	22.522	30.460	44.605	46931	1020.646	20.630	1.89	1.97
3.7	22.522	30.459	44.604	46930	1020.646	20.630	1.93	2.23
3.8	22.522	30.460	44.606	46931	1020.647	20.630	2.02	2.11
3.9	22.522	30.461	44.605	46932	1020.647	20.630	2.02	2.25
4.0	22.522	30.460	44.605	46931	1020.647	20.630	1.91	2.12
4.1	22.523	30.461	44.607	46932	1020.648	20.630	1.78	2.10
4.2	22.523	30.460	44.607	46932	1020.648	20.630	1.67	1.95
4.3	22.523	30.460	44.607	46932	1020.649	20.630	1.62	1.98
4.4	22.523	30.460	44.606	46931	1020.649	20.629	1.51	2.00
4.5	22.522	30.462	44.608	46934	1020.651	20.631	1.45	1.89
4.6	22.523	30.462	44.609	46934	1020.651	20.631	1.59	1.95
4.7	22.523	30.462	44.609	46934	1020.651	20.631	1.41	1.77
4.8	22.523	30.462	44.610	46935	1020.652	20.631	1.32	1.83
4.9	22.522	30.461	44.608	46934	1020.652	20.631	1.26	1.85
5.0	22.522	30.462	44.609	46935	1020.654	20.632	1.30	1.82
5.1	22.523	30.462	44.609	46934	1020.653	20.631	1.33	1.86
5.2	22.522	30.463	44.609	46936	1020.655	20.632	1.24	1.83
5.3	22.522	30.463	44.609	46935	1020.655	20.632	1.19	1.71
5.4	22.522	30.463	44.610	46936	1020.656	20.632	1.14	1.71
5.5	22.523	30.462	44.609	46934	1020.655	20.631	1.10	1.77
5.6	22.522	30.463	44.609	46936	1020.656	20.632	1.11	1.79
5.7	22.521	30.463	44.610	46937	1020.658	20.633	1.05	1.76
5.8	22.522	30.464	44.611	46937	1020.658	20.632	1.05	1.85
5.9	22.521	30.464	44.611	46938	1020.659	20.633	1.07	1.89
6.0	22.522	30.465	44.612	46939	1020.660	20.633	1.08	1.91
6.1	22.522	30.465	44.613	46939	1020.660	20.634	1.09	1.87
6.2	22.522	30.466	44.614	46940	1020.661	20.634	1.09	1.93
6.3	22.522	30.466	44.614	46940	1020.662	20.634	1.09	1.94
6.4	22.523	30.466	44.614	46941	1020.663	20.634	1.06	2.06
6.5	22.524	30.467	44.617	46942	1020.663	20.634	0.98	2.26
6.6	22.524	30.467	44.618	46942	1020.664	20.635	0.94	2.29
6.7	22.526	30.461	44.611	46934	1020.659	20.630	6.69	246.91
6.8	22.525	30.450	44.596	46918	1020.651	20.621	2.37	37.22
6.9	22.525	30.441	44.585	46907	1020.645	20.615	3.07	64.90
7.0	22.527	30.447	44.594	46914	1020.650	20.619	3.75	59.20
7.1	22.527	30.442	44.587	46908	1020.647	20.615	3.03	59.13
7.2	22.527	30.437	44.580	46901	1020.643	20.611	1.41	6.09

2014.10.14 六甲アイランドサンプリング CTDデータ -グラフ-

平均	水温 (°C)	塩分 (PSU)	蛍光量 (ppb)	濁度 (FTU)
0.1m - 0.5m	22.53	30.45	2.02	1.76
6.0m - 6.4m	22.52	30.47	1.08	1.94

